



ISO 9001:2015  
Certified Company



**Polycrome<sup>®</sup>**  
*Light the future*






# Electrical Accessories



# Trunking & Accessories



# Conduits & Accessories



# Switchgears



**Polycrome<sup>®</sup>**







**Electrical  
Accessories**

# Electrical Accessories

## Features for holders




- High quality brass terminals, plungers and screws to prevent over-heating and rusting
- Body and cover made from high quality materials to provide durability and good aesthetics
- Designed with gripping mechanism to prevent wire pull-out



Lamp Holder	Item Code	Description	Pack Qty.
	MP028	Pendent (Pin Type)	20
	MP085	Pendent (Screw Type)	20
	MP030	Straight Bayonet (Pin Type)	10
	MP087	Straight Bayonet (Screw Type)	10
	MP086	Angle Bayonet (Screw Type)	10
	MP029	Angle Bayonet (Pin Type)	10





# Electrical Accessories

Ceiling Rose		Item Code	Description	Dimensions/mm	Pack Qty.
<b>Standard</b>		MP010-2T	2 Terminals	90 x 22	20
<b>Deluxe</b>		MP066	3 Terminals	80 x 22	20
<b>Round Block</b>		MP022	White	77 x 23	200




# Electrical Accessories

Plug Top	Item Code	Description	Pack Qty.
 	MP036 (White)	13A White - Transparent	20
	MP036 (Black)	13A Black - Transparent	20





## Features for switch boxes

- Made with high quality ABS, GPPS and HIPS raw material
- High quality brass inserts
- Resistant to degrading

Switch Box	Item Code	Description	Dimensions/mm	Pack Qty.
	MP015-200	Single	92 x 92 x 29	200
	MP023-100	Twin	175 x 90 x 34	100







# Electrical Accessories

Switch Box	Item Code	Description	Dimensions/mm	Pack Qty.
	MP015-200	Single	92 x 92 x 29	200
	MP023-100	Twin	175 x 90 x 34	100
	MP065	Twin Double	172 x 172 x 30	40
	MP088	3 Way	265 x 94 x 38	50






# Electrical Accessories

Switch Box	Item Code	Description	Dimensions/mm	Pack Qty.
	MP020	Surface	87 x 87 x 33	100
	MP018	Double	150 x 90 x 40	100
	MP067/47	Deep	86 x 86 x 47	100
	MP068	Shaver / Cooker	150 x 90 x 50	50



# Electrical Accessories



Switch Box	Item Code	Description	Dimensions/mm	Pack Qty.
	MP024	4 Way	350 x 92 x 36	100
	MP015/40 (200)	Universal Type	86 x 86 x 40	200
Door Bell	Item Code	Description	Dimensions/mm	Pack Qty.
	MP031-I	Deluxe	121 x 109 x 34	25

# Electrical Accessories

## Features for Extension Lead

- High quality 2.1A USB fast charging
- Transparent wiring base for added safety
- Switch and indicator for each plug base
- 5 years warranty



Extension Lead	Item Code	Description	Dimensions/mm	Length/m	Pack Qty.
	MP0102	With USB - Black	350 x 68 x 30	1.5m/3m/5m	1
	MP0103	With USB - White	350 x 68 x 30	1.5m/3m/5m	1
	MP0108	Without USB - Black	350 x 68 x 30	1.5m/3m/5m	1
	MP0109	Without USB - White	350 x 68 x 30	1.5m/3m/5m	1



**Polycrome<sup>®</sup>**


**Ceiling Fans**


# Ceiling Fans

## Features for Ceiling Fans

- Hum free 5 step electronic regulator
- High energy efficiency
- High quality copper winding of motor prevents overheating
- Regulator can be used for sunk and surface applications
- Safety cable and power disconnection mechanism for safety of user



Ceiling Fan	Item Code	Description	Dimensions/mm	Pack Qty.
	MP002-AL	Aluminium with Regulator	Sweep 1400	3
	MP002-AL (WR)	Aluminium without Regulator	Sweep 1400	3

Fan Regulator	Item Code	Colour	Dimensions/mm	Pack Qty.
	MP002-FC	White	86 x 86	12



**Polycrome<sup>®</sup>**

**uPVC Electrical Conduits  
& Fittings**

# uPVC Electrical Conduits

## Product Applications

- Cold bending ability by using bending springs in medium and heavy duty conduits
- High compression strength
  - > 320N for Light Duty
  - > 750N for Medium Duty
  - > 1250N for Heavy Duty
- Maintain uniform thickness/standard thickness to maintain consistent insulation and strength
- Non-flame propagating
- Accessories for perfect installation
- Attractive appearance





# uPVC Electrical Conduits – Light Duty

Item Code	Size/mm	Length/m	Pack Qty.
PCN 16	16	2.9/4	50
PCN 20	20	2.9/4	50
PCN 25	25	2.9/4	25
PCN 32	32	2.9/4	15
PCN 40	40	2.9/4	10

**COLOUR**  
 White  
 Grey  
 Orange  
 Black

**OPERATING TEMPERATURE**  
 -5° to 60°C

**COMPRESSION STRENGTH**  
 320N



# uPVC Electrical Conduits – Medium Duty

Item Code	Size/mm	Length/m	Pack Qty.
PCN16MD	16	2.9/4	50
PCN20MD	20	2.9/4	50
PCN25MD	25	2.9/4	25
PCN32MD	32	2.9/4	15
PCN40MD	40	2.9/4	10

**COLOUR**  
 White  
 Grey  
 Orange  
 Black

**OPERATING TEMPERATURE**  
 -5° to 60°C

**COMPRESSION STRENGTH**  
 750N





# uPVC Electrical Conduits – Heavy Duty

Item Code	Size/mm	Length/m	Pack Qty.
PCN16HD	16	2.9/4	50
PCN20HD	20	2.9/4	50
PCN25HD	25	2.9/4	25
PCN32HD	32	2.9/4	15
PCN40HD	40	2.9/4	10

**COLOUR**  
White  
Grey  
Orange  
Black

**OPERATING TEMPERATURE**  
-5° to 60°C

**COMPRESSION STRENGTH**  
1250N



• 16mm, 20mm, 32mm and 40mm are made upon request

# uPVC Conduit Fittings – Bend

Size/mm	Pack Qty.	Item Code		
		Light Duty	Medium Duty	Heavy Duty
16	50	PCB 16	PCB16MD	PCB16HD
20	50	PCB 20	PCB20MD	PCB20HD
25	50	PCB 25	PCB25MD	PCB25HD
32	20	PCB 32	PCB32MD	PCB32HD
40	10	PCB 40	PCB40MD	PCB40HD

- 20mm and 25mm Light duty are moulded bends
- Heavy duty 16mm, 20mm, 32mm and 40mm are made upon request

**Moulded  
& Fabricated**



# uPVC Conduit Fittings – Sockets

Size/mm	Pack Qty.	Item Code		
		Light Duty	Medium Duty	Heavy Duty
16	50	PCB 16	PCS16MD	PCS16HD
20	50	PCB 20	PCS20MD	PCS20HD
25	50	PCB 25	PCS25MD	PCS25HD
32	20	PCB 32	PCS32MD	PCS32HD
40	10	PCB 40	PCS40MD	PCS40HD

- 20mm and 25mm Light duty are moulded sockets
- Heavy duty 16mm, 20mm, 32mm and 40mm are made upon request

**Moulded  
& Fabricated**





# uPVC Conduit Fittings

## Conduit Adaptor



Item Code

Colour

Size/mm

Pack Qty.

PCA20

White

20

100

PCA25

White

25

100

## Tee Socket



Item Code

Colour

Size/mm

Pack Qty.

PTS20

White

20

50

PTS25

White

25

50

# UPVC Conduit Fittings

## U Clip



Item Code	Colour	Size/mm	Pack Qty.
UCL16MCF01100	White	16	100
UCL20MCF01100	White	20	100
UCL25MCF01100	White	25	100
UCL32MCF01100	White	32	100

## Saddle Clip



Item Code	Colour	Size/mm	Pack Qty.
PCS 16	White	16	50
PCS 20	White	20	50
PCS 25	White	25	50
PCS 32	White	32	50

# uPVC Conduit Fittings

## IP65 Junction Box



Item Code

Colour

Size/mm

Pack Qty.

MP25-IP65

White

84 x 84 x 55

20

## Standard Junction Box



Item Code

Description

Pack Qty.

JB-1W-25-WH

1 Way

100

JB-2W-A-25-WH

2 Way 90°

100

JB-2W-T-25-WH

2 Way 180°

100

JB-3W-25-WH

3 Way

100

JB-4W-25-WH

4 Way

100



# uPVC Conduit Fittings

## Deep Junction Box



Item Code	Description	Pack Qty.
65-1WAY25-WH	1 Way	50
65-2WAY25-A-WH	2 Way 90°	50
65-2WAY25-T-WH	2 Way 180°	50
65-3WAY25-WH	3 Way	50
65-4WAY25-WH	4 Way	50

Available in 6 colours for different applications:



- Fire
- PA system
- Telephone
- Data
- Electric
- TV

**Polycrome<sup>®</sup>**

**uPVC Cable Trunking  
& Fittings**

# uPVC Cable Trunking

## Product Applications

- Unique locking system to prevent unlocking
- Non-flame propagating
- Double sided tape available for easy installation
- Availability of fittings to suit all applications
- Uniform/standard thickness to maintain consistent insulation and strength
- Able to partition using divider for different applications such as power, data and communication cables
- Attractive appearance





# uPVC Cable Trunking


## Features for Cable Trunking

- Locking system firmly holds wires within trunking
- High impact strength and non-flame propagating (fire retardant)
- Fittings to suit all requirements

Item Code	Size/mm	Length/m	Pack Qty.
PTR 16/10	16 x 10	2.9/3	20
PTR 20/12.5	20 x 12.5	2.9/3	20
PTR 25/16	25 x 16	2.9/3	20
PTR 40/16	40 x 16	2.9/3	10
PTR40/25	40 x 25	2.9/3	10
PTR50/25	50 x 25	2.9/3	10
PTR50/50	50 x 50	2.9/3	4
PTR75/50	75 x 50	2.9/3	4
PTR100/50	100 x 50	2.9/3	4
PTR100/75	100 x 75	2.9/3	2
PTR100/100	100 x 100	2.9/3	2
PTD50	50mm divider	2.9/3	10


**APPLICABLE TEMP.**  
-5° to 60°C

**COLOUR**  
White




# uPVC Cable Fittings – Flat Tee

Item Code	Size/mm	Pack Qty.
PST20/12.5	20 x 12.5mm Moulded	20
PST25/16	25 x 16mm Moulded	20
PST40/16	40 x 16mm Moulded	20
PST40/25	40 x 25mm Moulded	10
PST50/25	50 x 25mm Moulded	10
PST50/50	50 x 50mm Fabricated	20
PST75/50	75 x 50mm Fabricated	20
PST100/50	100 x 50mm Fabricated	20
PST100/75	100 x 75mm Fabricated	20
PST100/100	100 x 100mm Fabricated	20



**Moulded**



**Fabricated**

# uPVC Cable Fittings – Flat Angle

Item Code	Size/mm	Pack Qty.
PSA20/12.5	20 x 12.5mm Moulded	20
PSA25/16	25 x 16mm Moulded	20
PSA40/16	40 x 16mm Moulded	20
PSA40/25	40 x 25mm Moulded	20
PSA50/25	50 x 25mm Moulded	10
PSA50/50	50 x 50mm Fabricated	20
PSA75/50	75 x 50mm Fabricated	20
PSA100/50	100 x 50mm Fabricated	20
PSA100/75	100 x 75mm Fabricated	20
PSA100/100	100 x 100mm Fabricated	20



**Moulded**



**Fabricated**



# uPVC Cable Fittings – Internal Angle

Item Code	Size/mm	Pack Qty.
PIA25/16	25 x 16mm Moulded	20
PIA40/16	40 x 16mm Moulded	20
PIA40/25	40 x 25mm Moulded	20
PIA50/25	50 x 25mm Moulded	10
PIA50/50	50 x 50mm Fabricated	20
PIA75/50	75 x 50mm Fabricated	20
PIA100/50	100 x 50mm Fabricated	20
PIA100/75	100 x 75mm Fabricated	20
PIA100/100	100 x 100mm Fabricated	20




**Moulded**



**Fabricated**

# uPVC Cable Fittings – External Angle

Item Code	Size/mm	Pack Qty.
PEA25/16	25 x 16mm Moulded	20
PEA40/16	40 x 16mm Moulded	20
PEA40/25	40 x 25mm Moulded	20
PEA50/25	50 x 25mm Moulded	20
PEA50/50	50 x 50mm Fabricated	20
PEA75/50	75 x 50mm Fabricated	20
PEA100/50	100 x 50mm Fabricated	20
PEA100/75	100 x 75mm Fabricated	20
PEA100/100	100 x 100mm Fabricated	20



**Moulded**



**Fabricated**

# uPVC Cable Fittings

## Cross Piece




### Item Code

### Size/mm

### Pack Qty.

PCP50/50	50 x 50	10
PCP75/50	75 x 50	10
PCP100/50	100 x 50	10
PCP100/75	100 x 75	10
PCP100/100	100 x 100	10

## End Cap



### Item Code

### Size/mm


### Pack Qty.

PSE50/50	50 x 50	50
PSE75/50	75 x 50	25
PSE100/50	100 x 50	25



# uPVC Cable Fittings

## Accessory Box



Item Code

PAB 60/100


Size/mm

60 x 100

Pack Qty.

50

## Cover Joint



Item Code

PCJ 100

Size/mm

100




Pack Qty.

50

**Polycrome<sup>®</sup>**




**MCB  
Enclosures**

# MCB Enclosures



Standard	Item Code	Description	Dimensions/mm	Pack Qty.
	MP034	2 Way Surface	145 x 44 x 66	100
	MP033	4 Way Surface	146 x 82 x 60	50
	MP004	10 Way Surface	216 x 144 x 73	1
	MP006	12 Way Surface	252 x 172 x 81	1
	MP008	16 Way Surface	315 x 177 x 71	1
	MP001	18 Way Surface	371 x 183 x 85	1






# MCB Enclosures

Deluxe	Item Code	Description	Dimensions/mm	Pack Qty.
	MP099	2 Way Sunk	180 x 195 x 60	1
	MP005	4 Way Surface	193 x 107 x 32	1
	MP037	8 Way Sunk	180 x 195 x 60	1
	MP038	12 Way Sunk	195 x 255 x 64	1
	MP019	15 Way Sunk	193 x 308 x 60	1
	MP039	18 Way Sunk	215 x 360 x 72	1

# MCB Enclosures

Deluxe	Item Code	Description	Dimensions/mm	Pack Qty.
	MP040	24 Way Sunk	310 x 255 x 72	1
	MP041	36 Way Sunk	445 x 293 x 70	1

# MCB Enclosures

Deluxe	Item Code	Description	Dimensions/mm	Pack Qty.
	MP007	8 Way Surface	192 x 178 x 35	1
	MP058	12 Way Surface	191 x 249 x 35	1
	MP017	15 Way Surface	194 x 305 x 37	1
	MP059	18 Way Surface	214 x 356 x 37	1
	MP060	24 Way Surface	318 x 264 x 38	1
	MP061	36 Way Surface	467 x 300 x 39	1



**Polycrome<sup>®</sup>**

**Switchgears**

# Switchgears

## Features for Switchgear

- High sensitivity and instant activation even for minor electrical variances for added safety
- Lifetime warranty

### MCB 1 Pole



### Item Code

### Description

### Pack Qty.

MCBIP001	6A	12
MCBIP002	10A	12
MCBIP003	16A	12
MCBIP004	20A	12
MCBIP007	30A	12
MCBIP005	32A	12
MCBIP006	40A	12

# Switchgears

## MCB 2 Pole



## Item Code

## Description

## Pack Qty.

MCB2P001

10A

6

MCB2P002

16A

6

MCB2P003

20A

6

MCB2P004

32A

6

MCB2P005

40A

6

MCB2P006

63A

6



# Switchgears

## MCB 3 Pole



## Item Code

## Description

## Pack Qty.

MCB3P001

10A

4

MCB3P002

16A

4

MCB3P003

20A

4

MCB3P004

32A

4

MCB3P005

40A

4

MCB3P006

63A

4

# Switchgears

## MCB 4 Pole



## Item Code

## Description

## Pack Qty.

MCB4P001	10A	3
MCB4P002	16A	3
MCB4P003	20A	3
MCB4P004	32A	3
MCB4P005	40A	3
MCB4P006	63A	3

# Switchgears

## RCCB 2 Pole



## Item Code

## Description

## Pack Qty.

RCCB2P001

40A 30mA

6

RCCB2P002

40A 100mA

6

RCCB2P003

63A 30mA

6

RCCB2P004

63A 100mA

6

## RCCB 4 Pole



## Item Code

## Description

## Pack Qty.

RCCB4P001

40A 30mA

3

RCCB4P002

40A 100mA

3

RCCB4P003

40A 300mA

3

RCCB4P004

63A 30mA

3

RCCB4P005

63A 100mA

3



# Switchgears

## Isolator 2 Pole



## Item Code

## Description

## Pack Qty.

ISO2P40A

40A

6

ISO2P63A

63A

6

## Isolator 4 Pole



## Item Code

## Description

## Pack Qty.

ISO4P63A


63A

3



# Switchgears

## Insulated Bus-bar



## Item Code

## Description

## Pack Qty.

MP079

6 Teeth

20

MP080

8 Teeth

20

MP081

12 Teeth

20

MP082

14 Teeth

20

MP083

15 Teeth

20




# Polycrome®

*Light the future*

## Polycrome Electrical Industries (Pvt) Ltd

Polycrome Electrical Industries, 333/9 Old Kesbewa Road, Boralesgamuwa .




(+94) 76 373 1813

(+94) 76 373 1811



e-sales@polycrome.lk



polycrome.lk



polycromeholdings